



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

El Paso, Tex., July 6, 1901—Inspection service.—I have the honor to submit the following summary of work at this station for the week ended July 6, 1901: Inspection Mexican Central Railroad passengers, 141; inspection (special) passengers from City of Mexico, 17; inspection Rio Grande Pacific Railroad passengers, 15; inspection of immigrants, 56; disinfection bedding, blankets, clothing, etc., 45 pieces; disinfection soiled linen imported for laundry, 317 pieces; disinfection Pullman soiled linen, 2,538 pieces.

Respectfully,

E. ALEXANDER,
Acting Assistant Surgeon, U. S. M. H. S.

Statistical reports of States and cities of the United States—Yearly and monthly.

CALIFORNIA—Los Angeles.—Month of June, 1901. Census population, 102,479. Total number of deaths, 147, including enteric fever, 1, and 29 from tuberculosis.

Oakland.—Month of June, 1901. Estimated population, 75,000. Total number of deaths, 86, including enteric fever, 1, and 11 from tuberculosis.

INDIANA—Mortality and morbidity in Indiana in June.—Total deaths reported, 2,243; rate, 10.8 per 1,000. Under 1 year of age there were 359 deaths; 1 to 5, inclusive, 136; 65 and over, 486. From certain causes: Pulmonary tuberculosis, 291; other forms of tuberculosis, 35; typhoid fever, 22; diphtheria, 15; scarlet fever, 11; measles, 13; whooping cough, 10; pneumonia, 101; diarrheal diseases, 68; cerebro-spinal meningitis, 24; influenza, 16; puerperal fever, 10; cancer, 83; violence, 158; smallpox, 3.

The city deaths numbered 955—rate, 136, and the country deaths numbered 1,298—rate, 9.4. The death rates per 100,000 annually from June's reports for puerperal fever were: Cities, 8.6; country, 2.9. This is mentioned because it is very unusual for this disease to exist to a greater extent in the cities, presumably because of better and more easily procured medical service. There are 92 counties in the State, and 26 reported diphtheria in mild form; 12 reported scarlet fever as present; 67 reported pneumonia present; 22 reported typhoid fever present, and all reported diarrheal diseases as either being present or more or less prevalent. Cancer stands third as a cause of death during the month. Smallpox was reported for the following counties: Clinton, 20 cases, 1 death; Posey, 4 cases; Cass, 3 cases; Owen, 1 case; Jay, 1 case; Kosciusko, 11 cases; Allen, 12 cases, 1 death; Laporte, 6 cases, 1 death; Tippecanoe, 32 cases; Montgomery, 1 case; Adams, 32 cases; but the first week in July a house-to-house visit in Adams County discovered that in the eastern and southern parts there had been numerous cases to which a physician was not called and consequently were not reported. Marion County reported 12 cases.

LOUISIANA—New Orleans.—Month of June, 1901. Estimated population, 300,000—white, 210,000; colored, 90,000. Total number of deaths, 603—white, 400; colored, 203—including diphtheria, 1; enteric fever, 20; scarlet fever, 3; whooping cough, 6, and 85 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended June 29, 1901, from 70 observers, indicate that cholera morbus, phthisis pulmonalis, and enteric fever were more prevalent, and tonsillitis and whooping cough were less prevalent than in the preceding week. Cerebro-spinal meningitis was reported present at 3, whooping cough at 16, diphtheria at 16, enteric fever at 27, measles at 35, scarlet fever at 51, phthisis pulmonalis at 186, and smallpox at 75 places.

MARYLAND—*Baltimore*.—Month of June, 1901. Estimated population, 541,000—white, 463,000; colored, 78,000. Total number of deaths, 740—white, 532; colored, 208—including diphtheria, 14; enteric fever, 8; measles, 2, and 105 from tuberculosis.

NEW HAMPSHIRE—*Concord*.—Month of May, 1901. Estimated population, 19,500. Total number of deaths, 35, including 4 from tuberculosis.

Month of June, 1901. Total number of deaths, 32, including diphtheria, 1, and 6 from tuberculosis.

NEW JERSEY—*Hudson County*.—Month of May, 1901. Census population, 386,048. Total number of deaths, 547, including diphtheria, 11; enteric fever, 3; measles, 3; scarlet fever, 9; whooping cough, 1, and 69 from phthisis pulmonalis.

OHIO—*East Liverpool*.—Month ended June 3, 1901. Census population, 16,486. Total number of deaths, 21, including 3 from phthisis pulmonalis.

Zanesville.—Month of June, 1901. Census population, 23,500. Total number of deaths, 24, including enteric fever, 1; scarlet fever, 1, and 4 from tuberculosis.

PENNSYLVANIA—*Newcastle*.—Month of June, 1901. Estimated population, 28,350. Total number of deaths, 33, including diphtheria, 1; enteric fever, 2; scarlet fever, 1, and 6 from tuberculosis.

York.—Month of June, 1901. Estimated population, 35,000. Total number of deaths, 29, including 4 from tuberculosis.

TEXAS—*San Antonio*.—Month of June, 1901. Census population, 55,321. Total number of deaths, 120, including measles, 1, and 25 from tuberculosis, of which 17 were of nonresidents.

UTAH—*Salt Lake City*.—Month of June, 1901. Estimated population, 18,000. Total number of deaths, 20, including diphtheria, 3, and 1 from enteric fever.